

MSPMATHLIB

MSPMATHLIB is an accelerated floating point math library for MSP430™ MCUs that delivers up to 26 times faster computation for the most commonly used math functions. The library seamlessly integrates with existing projects to replace the most common floating point math functions without any changes to the code.

Contents

| | | |
|---|------------------------|---|
| 1 | Introduction | 1 |
| 2 | Benchmarks | 1 |
| 3 | Using MSPMATHLIB | 3 |

1 Introduction

MSPMATHLIB includes the following twelve functions:

- Trigonometric: sin, cos, tan
- Inverse trigonometric: asin, acos, atan, atan2
- Exponential: exp, log
- Misc: sqrt, reciprocal, fmod

MSPMATHLIB enables users to run highly accurate floating point algorithms more efficiently without the need to convert to complicated fixed point code. This benefits math-intensive applications that are limited by performance or energy. New high-performance applications are now possible, and existing applications can run faster. Existing low-energy applications can now execute costly math calculations in a fraction of the time and increase time spent in low-power modes. The low-power performance enabled by MSPMATHLIB can benefit applications such as utility metering and applications involving sensors, a touch interface, or graphical computations.

The library is compliant with *IEEE Standard for Floating-Point Arithmetic* (IEEE Std 754) and includes support for finite, infinite, and not a number (NaN) for both input and output. All functions use rounding with ties to even (zero) and have the maximum possible accuracy for all input ranges. Due to the nature of the floating point format, some functions lose accuracy in certain ranges such as asin, acos, exp, and log. In these cases, the result is as accurate as possible. This accuracy is comparable to existing implementations.

Visit <http://www.ti.com/tool/mspmathlib> for product download and supported devices.

2 Benchmarks

The benchmarks that are shown in [Section 2.1](#) and [Section 2.2](#) were obtained using Code Composer Studio™ IDE version 5.3.0.00090, MSP430 compiler version 4.1.5, and small code and data models. Comparable results can be expected when running on IAR Embedded Workbench™ IDE.

2.1 Performance

[Figure 1](#) shows the average CPU cycles needed to calculate a result for the existing MSP430 math implementations and for MSPMATHLIB. The number above each pair of bars is the factor by which the specified function is improved when using MSPMATHLIB.




Figure 1. MSPMATHLIB Performance (Fewer Cycles is Better)

2.2 Accuracy Benchmarks

[Table 1](#) shows the worst-case relative accuracy for common input ranges of the compiler libraries and MSPMATHLIB. The data indicates that in most cases, there is a negligible difference in accuracy between the existing math.h library and MSPMATHLIB. Results were obtained using Code Composer Studio IDE.

Table 1. Accuracy Benchmarks

| Function | math.h | MSPMATHLIB |
|----------|----------|------------|
| sin | 1.51E-07 | 1.51E-07 |
| cos | 8.15E-08 | 9.84E-08 |
| tan | 6.58E-05 | 6.61E-05 |
| asin | 1.87E-06 | 1.95E-06 |
| acos | 6.79E-04 | 6.81E-04 |
| atan | 1.28E-07 | 6.12E-08 |
| atan2 | 1.32E-07 | 5.48E-08 |
| exp | 1.00E-06 | 1.00E-06 |
| log | 1.05E-07 | 1.67E-07 |
| 1/x | 7.63E-08 | 7.63E-08 |
| sqrt | 9.68E-08 | 8.24E-08 |
| fmod | 6.10E-08 | 6.10E-08 |

3 Using MSPMATHLIB

3.1 Code Composer Studio™ IDE

1. Run the MSPMATHLIB installer to extract the library.
2. Open a CCS project.
3. Open the project properties, select *eabi* as the Application binary interface, and select the desired code model and data model (see [Figure 2](#)).




Figure 2. Properties for Project

4. Right click the project and select Add Files.




Figure 3. Add Files to Project

5. Select the library that matches the code and data model (see [Figure 4](#)).




Figure 4. Select Library

6. Replace all inclusions of `math.h` with the `msp430_math.h` header file that is located in the top-level include directory (see Figure 5). `msp430_math.h` includes `math.h` and redefines the function names to link the included library functions. Functions that are not included in MSPMATHLIB continue to use the compiler implementation.




Figure 5. Replace Includes of `math.h` With `msp430_math.h`

7. You can now build the project (see [Figure 6](#)). The MSPMATHLIB functions are linked in place of the standard math.h functions. The function prototypes are identical and require no additional considerations when coding.




Figure 6. Build Project

3.2 IAR Embedded Workbench™ IDE

1. Run the MSPMATHLIB installer to extract the library.
2. Open an IAR project.
3. In the General Options category, select the data model to use (see [Figure 7](#)).




Figure 7. Options for Project

4. Right click the project and select Add Files (see [Figure 8](#)).




Figure 8. Add Files to Project

5. Select All Files and then select the library that matches the data model (see [Figure 9](#)).




Figure 9. Select Library

6. Replace all inclusions of math.h with the msp430_math.h header file that is located in the top-level include directory (see Figure 10). msp430_math.h includes math.h and redefines the function names to link the included library functions. Functions that are not included in MSPMATHLIB continue to use the compiler implementation.




Figure 10. Replace Includes of math.h With msp430_math.h

7. You can now build the project (see Figure 11). The MSPMATHLIB functions are linked in place of the standard math.h functions.




Figure 11. Build Project

IMPORTANT NOTICE

Texas Instruments Incorporated and its subsidiaries (TI) reserve the right to make corrections, enhancements, improvements and other changes to its semiconductor products and services per JESD46, latest issue, and to discontinue any product or service per JESD48, latest issue. Buyers should obtain the latest relevant information before placing orders and should verify that such information is current and complete. All semiconductor products (also referred to herein as "components") are sold subject to TI's terms and conditions of sale supplied at the time of order acknowledgment.

TI warrants performance of its components to the specifications applicable at the time of sale, in accordance with the warranty in TI's terms and conditions of sale of semiconductor products. Testing and other quality control techniques are used to the extent TI deems necessary to support this warranty. Except where mandated by applicable law, testing of all parameters of each component is not necessarily performed.

TI assumes no liability for applications assistance or the design of Buyers' products. Buyers are responsible for their products and applications using TI components. To minimize the risks associated with Buyers' products and applications, Buyers should provide adequate design and operating safeguards.

TI does not warrant or represent that any license, either express or implied, is granted under any patent right, copyright, mask work right, or other intellectual property right relating to any combination, machine, or process in which TI components or services are used. Information published by TI regarding third-party products or services does not constitute a license to use such products or services or a warranty or endorsement thereof. Use of such information may require a license from a third party under the patents or other intellectual property of the third party, or a license from TI under the patents or other intellectual property of TI.

Reproduction of significant portions of TI information in TI data books or data sheets is permissible only if reproduction is without alteration and is accompanied by all associated warranties, conditions, limitations, and notices. TI is not responsible or liable for such altered documentation. Information of third parties may be subject to additional restrictions.

Resale of TI components or services with statements different from or beyond the parameters stated by TI for that component or service voids all express and any implied warranties for the associated TI component or service and is an unfair and deceptive business practice. TI is not responsible or liable for any such statements.

Buyer acknowledges and agrees that it is solely responsible for compliance with all legal, regulatory and safety-related requirements concerning its products, and any use of TI components in its applications, notwithstanding any applications-related information or support that may be provided by TI. Buyer represents and agrees that it has all the necessary expertise to create and implement safeguards which anticipate dangerous consequences of failures, monitor failures and their consequences, lessen the likelihood of failures that might cause harm and take appropriate remedial actions. Buyer will fully indemnify TI and its representatives against any damages arising out of the use of any TI components in safety-critical applications.

In some cases, TI components may be promoted specifically to facilitate safety-related applications. With such components, TI's goal is to help enable customers to design and create their own end-product solutions that meet applicable functional safety standards and requirements. Nonetheless, such components are subject to these terms.

No TI components are authorized for use in FDA Class III (or similar life-critical medical equipment) unless authorized officers of the parties have executed a special agreement specifically governing such use.

Only those TI components which TI has specifically designated as military grade or "enhanced plastic" are designed and intended for use in military/aerospace applications or environments. Buyer acknowledges and agrees that any military or aerospace use of TI components which have **not** been so designated is solely at the Buyer's risk, and that Buyer is solely responsible for compliance with all legal and regulatory requirements in connection with such use.

TI has specifically designated certain components as meeting ISO/TS16949 requirements, mainly for automotive use. In any case of use of non-designated products, TI will not be responsible for any failure to meet ISO/TS16949.

Products

| | |
|------------------------------|--|
| Audio | www.ti.com/audio |
| Amplifiers | amplifier.ti.com |
| Data Converters | dataconverter.ti.com |
| DLP® Products | www.dlp.com |
| DSP | dsp.ti.com |
| Clocks and Timers | www.ti.com/clocks |
| Interface | interface.ti.com |
| Logic | logic.ti.com |
| Power Mgmt | power.ti.com |
| Microcontrollers | microcontroller.ti.com |
| RFID | www.ti-rfid.com |
| OMAP Applications Processors | www.ti.com/omap |
| Wireless Connectivity | www.ti.com/wirelessconnectivity |

Applications

| | |
|-------------------------------|--|
| Automotive and Transportation | www.ti.com/automotive |
| Communications and Telecom | www.ti.com/communications |
| Computers and Peripherals | www.ti.com/computers |
| Consumer Electronics | www.ti.com/consumer-apps |
| Energy and Lighting | www.ti.com/energy |
| Industrial | www.ti.com/industrial |
| Medical | www.ti.com/medical |
| Security | www.ti.com/security |
| Space, Avionics and Defense | www.ti.com/space-avionics-defense |
| Video and Imaging | www.ti.com/video |

TI E2E Community

e2e.ti.com