## **Multicore Software Development Kit**

## **Release Notes**

Applies to Release: 03.01.02 Publication Date: December 16, 2014



#### **Document License**

This work is licensed under the Creative Commons Attribution-NoDerivs 3.0 Unported License. To view a copy of this license, visit http://creativecommons.org/licenses/by-nd/3.0/ or send a letter to Creative Commons, 171 Second Street, Suite 300, San Francisco, California, 94105, USA.

Copyright (C) 2014 Texas Instruments Incorporated - http://www.ti.com

### Contents

1		Overviev	Ν	1
2		Licensin	g	1
3		Docume	ntation	1
4		Platform	and Device Support	2
5		Release	Images	2
6		Issues Li	st	2
7		Technica	al Support and Product Updates	3
8		IS NOT		3
9		Releases	5	4
	9.1	03.01.0	02.05	4
		9.1.1	New features and fixes	6
		9.1.2	Known Issues	8
	9.2	03.01.0	01.04	8
		9.2.1	New features and fixes	11
		9.2.2	Known Issues	12
	9.3	03.01.0	00.03	
		9.3.1	New features and fixes	
		9.3.2	Known Issues	19

**Release Notes** 

# **MCSDK Release 3.1.2**

## **1** Overview

This document is the Release Notes for **Release 3.1.2** of the Multicore Software Development Kit (MCSDK) for Linux and BIOS operating systems. This software release gives developers the ability to develop software for KeyStone II devices. Please refer to the *Getting Started Guide* chapter in the *User Guide* on how to install the MCSDK packages.

## 2 Licensing

Please refer to the software manifest, which outlines the licensing status for all packages included in this release.

### **3** Documentation

- MCSDK 3.x User Guide: Provides information on features, functions, delivery package and, compile tools for the MCSDK release. This also provides detailed information regarding software elements and software infrastructure to allow developers to start creating applications. (NOTE: The latest version of the User Guide is on the online link as specified above and a snapshot is provided in PDF format in the release at [INSTALL-DIR]/mcsdk\_bios\_<ver>/docs.)
  - <u>Getting Started Guide</u>: This chapter in the User's Guide provides information to run demonstrations out of box. It also contains information to update flash images on EVM and install software.
  - Migration Guide: This chapter in the User's Guide provides information for migrating software from major MCSDK releases.
- MCSDK Software Manifest: Provides license information on software included in the MCSDK release. This document is in the release at [INSTALL-DIR]/mcsdk\_bios\_<ver>/docs.
- **EVM Quick Start Guide**: Provides information on hardware setup and running the demonstration application that is loaded on flash. This document is provided as part of the EVM kit.

## 4 Platform and Device Support

The device and platforms supported with this release include:

Platform	Supported Devices	Supported EVM
[ <u>K2H</u> ]	<u>TCI6636K2H</u> , <u>66AK2H06</u> , <u>66AK2H12</u>	XTCIEVMK2X, <u>EVMK2H</u>
[ <u>K2K</u> ]	<u>TCI6638K2K</u>	XTCIEVMK2X
[ <u>K2L</u> ]	TCI6630K2L	TCIEVMK2L
[ <u>K2E</u> ]	<u>66AK2E05, 66AK2E02, AM5K2E02, AM5K2E04</u>	EVMK2E

## 5 Release Images

The release images are based on

- Supported platform (K2HK, K2L, or K2E)
- Real-time or non-real-time Linux kernel
- Type of image (UBI FS for NAND, Server filesystem, minimal Console filesystem)

UBI images:

- k2hk-evm-ubifs.ubi
- k2l-evm-ubifs.ubi
- k2e-evm-ubifs.ubi
- k2hk-evm-ubifs-rt.ubi
- k2l-evm-ubifs-rt.ubi
- k2e-evm-ubifs-rt.ubi

Server rootfs images:

- tisdk-rootfs-k2hk-evm.tar.gz
- tisdk-rootfs-k2l-evm.tar.gz
- tisdk-rootfs-k2e-evm.tar.gz
- tisdk-rootfs-rt-k2hk-evm.tar.gz
- tisdk-rootfs-rt-k2l-evm.tar.gz
- tisdk-rootfs-rt-k2e-evm.tar.gz

(Minimal) console images:

- arago-console-image-k2hk-evm.tar.gz
- arago-console-image-k2l-evm.tar.gz
- arago-console-image-k2e-evm.tar.gz
- arago-console-image-rt-k2hk-evm.tar.gz
- arago-console-image-rt-k2l-evm.tar.gz
- arago-console-image-rt-k2e-evm.tar.gz

## 6 Issues List

The list of issues is online using this <u>link</u>. The snapshot of this list at the time of list is in the Releases section below. For the latest version, use the online list.

## 7 Technical Support and Product Updates

For technical discussions and issues, please visit:

- KeyStone Multicore forum
- <u>TI-RTOS forum</u>
- Linux Embedded Software forum
- <u>Code Composer Studio forum</u>
- <u>TI C/C++ Compiler forum</u>
- Embedded Processors wiki

For local support in China, please visit

<u>China Support forum</u>

For product updates, see the MCSDK Download chapter of the online User Guide.

## 8 IS NOT

- Support for BIOS5 or older releases
- Support for CCS 5.x or older releases
- Support for platforms not listed in Section 4
- DSP image format other than ELF (e.g., COFF)
- Big endian DSP with ARM Little endian configuration

## 9 Releases

#### 9.1 03.01.02.05

This is a maintenance update to on the R3.1 release stream of the Multicore SDK. The baseline for this release is R3.1.1.

Items marked in **blue** are modifications from R3.1.1.

Component	Description	Version	Installer			
ARM Target Softwa	ARM Target Software					
Linux Kernel	ARM high-level operating system, network stack	3.10 LTS (TAGS: K2_LINUX_03.10.10_14.12, K2_RT_LINUX_03.10.10_14.12)	MCSDK			
U-boot	ARM boot loader	2013.01 (TAG: K2_UBOOT_2013_01_14.12_02)	MCSDK			
Boot Monitor	Boot Monitor software provides secure privilege level execution service for Linux kernel code through SMC calls	K2_BM_14.09	MCSDK			
МРМ	Multi-processor manager for loading and managing DSP cores, including fault management	2.0.1.7	MCSDK			
MPM Transport	Multi-proc-Manager Transport layer	1.0.6.0	MCSDK			
Transport Net Lib	Transport Network Library including: HPLIB (High Performance Library) NetAPI (Network API)	1.1.0.3	MCSDK			
IPSecMgr	IPSec Manager	1.1.0.2	MCSDK			
Matrix Apps	Matrix launcher used for out of box demonstrations	1.0.0.2	MCSDK			
Trace Framework	Trace framework for collecting and distributing log/event messages (ARM portion)	1.1.1.6	MCSDK			
СМЕМ	Contiguous memory allocate for ARM user-space	4.0.3.14	MCSDK			
UIO	User-space I/O driver for on-chip modules. This driver provides support of mmap interface, interrupt handling and powering up/down of on-chip modules from user space.	1.0.2.0	MCSDK			
cUIA	C implementation of Unified Instrumentation Architecture for ARM user-space applications	1.0.0.13	MCSDK			
IPC	Inter-process communication between DSP-DSP and ARM-DSP (ARM portion)	3.30.01.12	MCSDK			
SRSS-TC	Closed-loop control of the Smart Reflex sub system when temperature control is	1.0.0.0	MCSDK			

	enabled						
Secure Storage	Software implementation of a secure storage; includes ti-softhsm-v2, libp11, and engine_pkcs	1.3.0.0	MCSDK				
DSP Target Softwa	DSP Target Software						
SYS/BIOS	DSP real-time operating system	6.40.4.47	MCSDK				
NDK	DSP network stack	2.24.0.11	MCSDK				
IPC	Inter-process communication between DSP-DSP and ARM-DSP (DSP portion)	3.30.01.12	MCSDK				
cToolsLib	Trace debug library	1.1.1.0	MCSDK				
UIA	Unified instrumentation architecture	2.0.1.34	MCSDK				
Image Proc	Image processing demo	1.0.0.1	MCSDK				
DSP Optimized Lib	raries						
DSPLIB	Generic DSP functions	3.4.0.0	MCSDK				
MATHLIB	Math functions	3.1.0.0	MCSDK				
IMGLIB	Image functions	3.1.1.0	MCSDK				
DSP/ARM Platform	n Development Kit						
CSL	Chip support library	2.1.0.6A	MCSDK				
AIF2 LLD	Antenna Interface LLD (not in K2L)	1.1.0.5	MCSDK				
BCP LLD	Bit Rate Coprocessor LLD	2.1.0.4	MCSDK				
CPPI LLD <sup>(1)</sup>	Packet DMA LLD	2.1.0.8	MCSDK				
EDMA3 LLD <sup>(1)</sup>	Enhanced Direct Memory LLD	2.11.13.17	MCSDK				
FFTC LLD	FFT Accelerator Coprocessor LLD	2.2.0.5	MCSDK				
HYPLNK LLD <sup>(1)</sup>	HyperLink LLD	2.1.0.1	MCSDK				
PA LLD <sup>(1)</sup>	Packet Accelerator LLD	3.0.1.1	MCSDK				
PCIe LLD	Peripheral Component Interconnect Express	2.1.0.1	MCSDK				
QMSS LLD <sup>(1)</sup>	Queue Manager LLD	2.1.0.9	MCSDK				
RM LLD <sup>(1)</sup>	Resource Manager LLD	2.1.0.7	MCSDK				
SA LLD <sup>(1)</sup>	Security Accelerator LLD	3.0.0.8	MCSDK				
SRIO LLD <sup>(1)</sup>	Serial Rapid IO LLD	2.0.0.11	MCSDK				
TCP3D LLD	Turbo Coprocessor Decoder LLD	2.1.0.2A	MCSDK				
MMAP LLD	MPAX Map LLD	2.0.0.3	MCSDK				
TSIP LLD	Telephony serial interface (K2E only)	1.0.0.1	MCSDK				
IQN2 LLD <sup>(1)</sup>	High speed antenna interface (K2L only)	1.0.0.5B	MCSDK				
DFE LLD <sup>(1)</sup>	Digital Front End LLD (K2L only)	1.0.0.3C	MCSDK				
Platform Library	DSP EVM drivers and SOC initialization	[MCSDK version]	MCSDK				
NWAL	Network adaptation layer provides high level driver functionality abstracting	2.1.0.4A	MCSDK				

	NetCP LLDs PA and SA		
Trace Framework	Trace framework for collecting and distributing log/event messages (DSP portion)	1.1.1.6	MCSDK
Fault Management	Library for core dump, watchdog timer	1.0.1.1	MCSDK
PKTLIB	Packet Library	2.1.0.4	MCSDK
SERDES Diag	Diagnostic tools for SERDES	1.0.0.1	MCSDK
Host Development 1	Fools		
Program_evm	Utility to update EVM flash with software images	[MCSDK version]	MCSDK
Yocto-Arago	ARM software distribution	1.4	Link
Linux devkit	Development kit that is independent of Arago	N/A	MCSDK
CCS	Code Composer Studio integrated development environment	6.0.1	<u>Link</u>
Linaro Toolchain	ARM toolchain	2013.03 (GCC 4.7)	Link
CodeGen	DSP compiler	7.4.8	CCS
CG_XML	Package of Perl scripts used to process the XML files that come from the TI code generation tools. Use it to do things like build a spreadsheet that details the size of all the sections, or figure out how much of the memory map is taken up by specific libraries.	2.30	MCSDK
XDCTools	DSP RTSC packaging and build tools	3.30.4.52	MCSDK

#### Notes

#### (1) This component can run on either DSP or ARM user-space

#### 9.1.1 New features and fixes

ID	Description
New Feature	ARM user space component SRIO low level driver
New Feature	DSP IPC SRIO transport
New Feature	SERDES Diagnostics package
New Feature	IPSecMgr enhancement for multi-instance support
New Feature	IPSecMgr enhancement for multiple Policy support for single tunnel
New Feature	ARM user space component for K2L SmartReflex with temperature compensation
New Feature	ARM HyperLink interrupt support
New Feature	64-bit timestamp support (affects CPSW and PA)
New Feature	Secure Storage enhancement for secure devices
SDOCM00106226	Add support for 10GbE in K2 u-boot

SDOCM00106809	Trace framework Coverity issue fixes
SDOCM00108048	K2L & K2E: UBOOT DHCP works intermittently when Eth0 and Eth1 are connected at the same time
SDOCM00111714	aif2LteMultiCoreK2HTestProject and aif2LteMultiCoreK2KTestProject are not building under Linux due to file name case mismatch
SDOCM00112200	Making NetAPI tuneable parameters configurable in code
SDOCM00112354	(Child) IPSecMgr: Require support for start/stop offloading of policies sharing single CHILD_SA
SDOCM00112368	QM LLD: qmInsRegion unit test fails
SDOCM00112403	(Child) IPC ping rpmsg unit-test hangs when run on K2L
SDOCM00112404	IPC MessageQMulti unit-test gets an out of heap memory error when run on K2E or K2L
SDOCM00112658	All SERDES Configs need to be updated
SDOCM00112696	mpm error checking against invalid use case: mpmcl run, followed by a run causes MPM to crash
SDOCM00112879	There needs to be a definitive way to determine if you are using IPSEC inflow mode for the ipsec manager/kernel module
SDOCM00112894	Multi-cast TFTP in u-boot
SDOCM00112897	Egress 1588 packet timestamp missing on occasion (delay request message)
SDOCM00113044	DSP IPC_start occasionally causes system to halt, may cause LLD unit test failures
SDOCM00113085	With CONFIG_DEBUG_MUTEXES enabled, Linux kernel issues WARNs
SDOCM00113097	(Child) softhsm-util return value 0 even if the securedb is corrupted
SDOCM00113110	SECDEV: rmK2HArmv7LinuxDspClient does not build when modified to run on a secure device
SDOCM00113125	PA LLD: Pa_addAcl does not support the same entry at both outer and inner ACL
SDOCM00113142	(Child) Ingress packet sideband access can be to prior packet on PA
SDOCM00113187	ipsec inflow in kernel fails with inner fragmented packets
SDOCM00113204	CSL Serdes Reset doesn't support AIF2 B4 macro in csl_serdes.h
SDOCM00113205	Serdes Attenuation and Boost Calibration support in csl_serdes.h
SDOCM00113252	transportnetlib queue clean up logic does not work when RM is used
SDOCM00113322	kernel RX UDP/TCP checksum offload to NETCP breaks user space tranportnetlib sample applications
SDOCM00113360	CSL Serdes Restore Default Top Level API needed
SDOCM00113361	CSL_Serdes_Assert_Reset API in csl_serdes.h incorrect
SDOCM00113362	MultiProcMgr, wrong DSP state after run_withpreload
SDOCM00113371	sync up PCIE Linux SerDes code to CSL tag DEV.CSL_KEYSTONE2.02.01.00.05A
SDOCM00113518	Add serdes FEP internal loopback support for high speed serdes operation
SDOCM00113578	Retain value of ALE_BYPASS if programmed on multi-interface
SDOCM00113610	Serdes High Speed Patch for PHY-A
SDOCM00113622	qmss accumulator: all apis in qmss_acc.c which access firmware have return code race
SDOCM00113624	"wide multigroup QoS" - 1 port, 17 groups, 8 queues each feature
SDOCM00113664	The default exception handler setup inside netapi_init should be made configurable
SDOCM00113755	SA firmware reading timestamp value at incorrect location ctrlInfo instead of ctrlInfo2- K2L

SDOCM00113873	Need to add support for IPV6 gso hook in ipsecmgr kernel module.
SDOCM00113969	rmK2XArmv7LinuxDspClientTestProject unittest failure
SDOCM00113971	Linux sideband crypto driver. sideband security context 64+N doesn't work properly
SDOCM00113977	Cppi_channelClose should only disable hardware if RM agrees that all users stopped.
SDOCM00113978	Change QM usermode examples to use UIO and CMA instead of /dev/mem and hardcoded msmc
SDOCM00113980	QMSS: add API to open a region inserted by another task that doesn't share same global object
SDOCM00113981	New QMSS firmware to route SRIO type 11 packets needed
SDOCM00113996	(Child) Modify PA firmware to return 64 bit timestamp counter values
SDOCM00113998	(Child) Update SA LLD to be compatible with PASS which supports 64-bit timestamp
SDOCM00114078	Add Iseek in uio driver request
SDOCM00114086	An RM instance run from multiple threads can corrupt itself
SDOCM00114088	Bcp_rxOpen fails
SDOCM00114098	u-boot: max arm and dev speed bit fields are swapped
SDOCM00114155	fftcSimpleK2x test projects get linker error message: program will not fit into available memory

#### 9.1.2 Known Issues

ID	Description
SDOCM00113048	When using an IPSEC inflow IPv6 tunnel, traffic will not pass across the established tunnel
SDOCM00112391	(K2L) Image Processing Demo: Demo only works on two cores
SDOCM00114250	K2L, K2E: PA user mode LLD unittest failure
SDOCM00113439	MMAP: Error when attempting to allocate buffer larger that heap
SDOCM00114023	SGMII link up fails at low temperatures when using latest Linux SGMII driver
EVM Issue	XTIEVMK2X Rev 2.0: NAND flash and USB occasionally fails
EVM Issue	EVMK2H (PG1.1) Rev 3.0: NAND flash and USB occasionally fails
EVM Issue	TCIEVMK2L Rev 1.0: NAND flash and USB occasionally fails

### 9.2 03.01.01.04

This is a maintenance update to on the R3.1 release stream of the Multicore SDK. The baseline for this release is R3.1.0.

Items marked in **blue** are modifications from R3.1.0.

Component	Description	Version	Installer		
ARM Target Softwar	ARM Target Software				
Linux Kernel	ARM high-level operating system, network stack	3.10 LTS (TAGS:	MCSDK		

	K2_LINUX_03.10.10_14.09_01,	
ARM boot loader	(TAG: K2_UBOOT_2013_01_14.09)	MCSDK
Boot Monitor software provides secure privilege level execution service for Linux kernel code through SMC calls	K2_BM_14.09	MCSDK
Multi-processor manager for loading and managing DSP cores, including fault management	2.0.1.4	MCSDK
Multi-proc-Manager Transport layer	1.0.5.2E	MCSDK
Transport Network Library including: HPLIB (High Performance Library)		
		MCSDK
-	1.1.0.2	MCSDK
Matrix launcher used for out of box demonstrations	1.0.0.2	MCSDK
Trace framework for collecting and distributing log/event messages (ARM portion)	1.1.1.5	MCSDK
Subset of LLD that work on ARM user- space	See below	MCSDK
Contiguous memory allocate for ARM user-space	4.0.3.14	MCSDK
User-space I/O driver for on-chip modules. This driver provides support of mmap interface, interrupt handling and powering up/down of on-chip modules from user space.	1.0.1.0	MCSDK
C implementation of Unified Instrumentation Architecture for ARM user-space applications	1.0.0.13	MCSDK
Inter-process communication between DSP-DSP and ARM-DSP (ARM portion)	3.22.2.11	MCSDK
DSP real-time operating system	6.37.3.30	MCSDK
DSP network stack	2.22.2.16	MCSDK
Inter-process communication between DSP-DSP and ARM-DSP (DSP portion)	3.22.2.11	MCSDK
Trace debug library	1.1.1.0	MCSDK
Unified instrumentation architecture	1.3.2.10	MCSDK
Image processing demo	1.0.0.1	MCSDK
ries		
	Boot Monitor software provides secure privilege level execution service for Linux kernel code through SMC calls Multi-processor manager for loading and managing DSP cores, including fault management Multi-proc-Manager Transport layer Transport Network Library including: HPLIB (High Performance Library) NetAPI (Network API) IPSec Manager Matrix launcher used for out of box demonstrations Trace framework for collecting and distributing log/event messages (ARM portion) Subset of LLD that work on ARM user- space Contiguous memory allocate for ARM user-space I/O driver for on-chip modules. This driver provides support of mmap interface, interrupt handling and powering up/down of on-chip modules from user space. Cimplementation of Unified Instrumentation Architecture for ARM user-space applications Inter-process communication between DSP real-time operating system DSP network stack Inter-process communication between DSP network stack	K2_RT_UINUX_03.10.10_14.09_01)ARM boot loader2013.01ARM boot loader(TAG: K2_UBOOT_2013_01_14.09)Boot Monitor software provides secure privilege level execution service for Linux kernel code through SMC callsK2_BM_14.09Multi-processor manager for loading and managing DSP cores, including fault management1.05.2ETransport Network Library including: HPLIB (High Performance Library)1.10.2IPSec Manager1.10.2IPSec Manager1.0.0.2Trace framework for collecting and distributing log/event messages (ARM portion)1.1.1.5Subset of LLD that work on ARM user- spaceSee belowContiguous memory allocate for ARM user-space (JO driver for on-chip modules. This driver provides support of mman interface, interrupt handling and powering up/down of on-chip modules from user space.1.0.1.0C implementation Architecture for ARM user-space applications3.22.2.11DSP real-time operating system DSP network stack5.37.3.30DSP network stack2.22.16Inter-process communication between DSP-DSP and ARM-DSP (DSP portion)3.22.2.11Trace debug library1.1.1.0Unified instrumentation architecture1.3.2.10Inter-process ing demo1.0.0.1

MATHLIB	Math functions	3.1.0.0	MCSDK			
IMGLIB	Image functions	3.1.1.0	MCSDK			
DSP Platform Develo	DSP Platform Development Kit					
CSL	Chip support library	2.1.0.5A	MCSDK			
AIF2 LLD	Antenna Interface LLD (not in K2L)	1.1.0.3	MCSDK			
BCP LLD	Bit Rate Coprocessor LLD	2.1.0.2	MCSDK			
CPPI LLD	Packet DMA LLD	2.1.0.6	MCSDK			
EDMA3 LLD	Enhanced Direct Memory LLD	2.11.13.17	MCSDK			
FFTC LLD	FFT Accelerator Coprocessor LLD	2.2.0.4	MCSDK			
HYPLNK LLD	HyperLink LLD	2.1.0.1	MCSDK			
PA LLD	Packet Accelerator LLD	3.0.1.0	MCSDK			
PCIe LLD	Peripheral Component Interconnect Express	2.1.0.1	MCSDK			
QMSS LLD	Queue Manager LLD	2.1.0.6	MCSDK			
RM LLD	Resource Manager LLD	2.1.0.6	MCSDK			
SA LLD	Security Accelerator LLD	3.0.0.7	MCSDK			
SRIO LLD	Serial Rapid IO LLD	2.0.0.10	MCSDK			
TCP3D LLD	Turbo Coprocessor Decoder LLD	2.1.0.2A	MCSDK			
MMAP LLD	MPAX Map LLD	2.0.0.3	MCSDK			
TSIP LLD	Telephony serial interface (K2E only)	1.0.0.1	MCSDK			
IQN2 LLD	High speed antenna interface (K2L only)	1.0.0.3A	MCSDK			
DFE LLD	Digital Front End LLD (K2L only)	1.0.0.2A	MCSDK			
Platform Library	DSP EVM drivers and SOC initialization	[MCSDK version]	MCSDK			
NWAL	Network adaptation layer provides high level driver functionality abstracting NetCP LLDs PA and SA	2.1.0.3A	MCSDK			
Trace Framework	Trace framework for collecting and distributing log/event messages (DSP portion)	1.1.1.5	MCSDK			
Fault Management	Library for core dump, watchdog timer	1.0.1.1	MCSDK			
PKTLIB	Packet Library	2.1.0.3	MCSDK			
Host Development	Fools					
Program_evm	Utility to update EVM flash with software images	[MCSDK version]	MCSDK			
Yocto-Arago	ARM software distribution	1.4	Link			
Linux devkit	Development kit that is independent of Arago	N/A	MCSDK			
CCS	Code Composer Studio integrated development environment	5.5.0	Link			
Linaro Toolchain	ARM toolchain	2013.03 (GCC 4.7)	Link			

CodeGen	DSP compiler	7.4.4	CCS
CG_XML	Package of Perl scripts used to process the XML files that come from the TI code generation tools. Use it to do things like build a spreadsheet that details the size of all the sections, or figure out how much of the memory map is taken up by specific libraries.	2.30	MCSDK
XDCTools	DSP RTSC packaging and build tools	3.25.6.96	MCSDK
Simulator	Simulator for K2L, K2E	0.9.0	CCS

#### 9.2.1 New features and fixes

ID	Description
New Feature	TransportNetLib: Port mirroring and capture, see PA LLD release notes for details
New Feature	TransportNetLib: QoS dual shaper, see PA LLD release notes for details
New Feature	AETLib: An AET interrupt is generated upon detecting a CPU pipeline stall
New Feature	DSPTraceLib: Add API to setup correct DSP Trace export clock divider
SDOCM00113073	MPM download timeout is not sufficient for loading DSP RAM secure kernel (secure device only)
SDOCM00113227	transportnetlib K2H: nt_bridge_setup application minor bugs
SDOCM00102641	linux doesn't allow DSP to read switch stats since it autonomously clears them
SDOCM00107190	SA pluggin for ethernet driver needs to support K2L/K2E
SDOCM00107394	CTRL-C during Hyperlink transfer driven by ARM (memcpy) is causing K2H to lockup.
SDOCM00108171	(K2E) RM ARM-to-DSP test fails
SDOCM00112218	10000:1 weighted round-robin new support ratio in QoS firmware
SDOCM00112374	(K2E) mpm-transport: HyperLink transport does not work due to missing device tree entries
SDOCM00112708	mpmservice.c is missing in MPM of MCSDK 3.1.0.3 release package
SDOCM00105727	Missing the extern "C" construct in tcp3d_drv.h
SDOCM00105728	Missing the extern "C" construct in bcp_osal.h
SDOCM00106138	DFE test project build failure
SDOCM00106663	packets drop due to virtual and physical view inconsistency
SDOCM00107193	CSL SERDES configuration update
SDOCM00107257	K2L: Linux kernel ethernet driver to turn off FCS in CPSW
SDOCM00107857	Race conditions in keystone_net_core.c causing BUGs/panics
SDOCM00108165	Linux Ethernet driver to expose port number being used
SDOCM00108236	dfeUnitK2LTestProject SUMMER Shift gain test is failing
SDOCM00111710	iqn2DfeDualModeK2LTestProject not all tests are passing
SDOCM00112183	Kernel needs to support Mistral RTM-BOC RevB w/ dual retimer for 10Gb Ethernet
SDOCM00112238	AIF2 4.9G Serdes Configuration File must be updated

SDOCM00112273	PA LLD: Support optional EMAC Interface Ingress Packet Default Routes
SDOCM00112304	spi: remove call to gpio_request() for GPIO chip selects
SDOCM00112339	PA LLD: Egress Flow exception causes internal PASS buffer leak
SDOCM00112340	PA LLD: Deletion of the pair of IP/IPSEC entry may miss the IPSEC (SPI) entry due to firmware timing issue
SDOCM00112406	TF ARM: unit test does not compile with LoggerStreamer and LogSnapShot dynamic libraries
SDOCM00112441	RM: Incorrectly allows DSP to open CPPI flows reserved for kernel on K2H
SDOCM00112559	FFTC LLD cannot be used for more than 2 instances of FFTC and 3rd instance operation causes memory spill
SDOCM00112563	linux misconfigures low qos rates
SDOCM00112612	RM-LLD: Heap memory is leaked when extracting resource usage data from Linux DTB
SDOCM00112645	Update CSLR files for TAC2.2 in K2L
SDOCM00112660	PCIE driver causes kernel crash when EP driver call pci_disable_msi()
SDOCM00112706	TCP3D LLD not built for K2K, K2H platforms
SDOCM00112751	(Child) TCP3D LLD: Check for number of instances is not correct
SDOCM00112754	FFTC LLD: K2H LLD should be limited to 4 instances
SDOCM00112818	TCP3D LLD: Incorrect chain to next code block notification link for PONG side exists
SDOCM00112895	(Child) Incorrect Implementation of osalDeleteSem functions in FFTC and BCP PDK examples and tests causes small memory leak
SDOCM00112963	(Child) Qmss_insertMemoryRegion needs to set MEMORY_REGION_BASE_ADDR_REG last
SDOCM00112975	Update equalizer settings with programmable attenuation and boost values
SDOCM00112994	PA LLD: Eflow route to CPSW (pa_DEST_EMAC) does not work
SDOCM00113003	Missing the extern "C" construct in fftc_osal.h
SDOCM00113040	on-board LCD not showing IP address after kernel boots up
SDOCM00113257	Enable 2G NAND on K2L EVM (NOTE: This change increases the boot time if using UBIFS/NAND.)
SDOCM00113278	Enable MDIO in DT bindings for network driver for K2L/E

#### 9.2.2 Known Issues

ID	Description
SDOCM00112897	Egress 1588 packet timestamp missing on occasion (delay request message)
SDOCM00113044	DSP IPC_start occasionally causes system to halt, may cause LLD unit test failures
SDOCM00113048	When using an IPSEC inflow IPv6 tunnel, traffic will not pass across the established tunnel
SDOCM00113187	IPSec inflow in Linux kernel fails with inner fragmented packets
SDOCM00112268	(K2H/E/L) mpm-sync: Unit test does not complete
SDOCM00112269	(K2E) mpm-mailbox: Unit test for memory copy fails
SDOCM00112368	QM LLD: qmInsRegion unit test fails
SDOCM00112391	(K2L) Image Processing Demo: Demo only works on two cores
EVM Issue	XTIEVMK2X Rev 2.0: NAND flash and USB occassionaly fails

EVM Issue	EVMK2H (PG1.1) Rev 3.0: NAND flash and USB occassionaly fails
EVM Issue	TCIEVMK2L Rev 1.0: NAND flash and USB occassionaly fails

#### 9.3 03.01.00.03

This is a R3.1.0 production release of the Multicore SDK. The baseline for this release is R3.0.4. Items marked in **blue** are modifications from R3.0.4.

Component	Description	Version	Installer
ARM Target Software			
Linux Kernel	ARM high-level operating system, network stack	3.10 LTS (TAGS: K2_LINUX_03.10.10_14.07, K2_RT_LINUX_03.10.10_14.07)	MCSDK
U-boot	ARM boot loader	2013.01 (TAG: K2_UBOOT_2013_01_14.07)	MCSDK
Boot Monitor	Boot Monitor software provides secure privilege level execution service for Linux kernel code through SMC calls	K2_BM_14.07	MCSDK
МРМ	Multi-processor manager for loading and managing DSP cores, including fault management	2.0.1.3	MCSDK
MPM Transport	Multi-proc-Manager Transport layer	1.0.5.2	MCSDK
Transport Net Lib	Transport Network Library including: HPLIB (High Performance Library) NetAPI (Network API)	1.1.0.1	MCSDK
IPSecMgr	IPSec Manager	1.1.0.2	MCSDK
Matrix Apps	Matrix launcher used for out of box demonstrations	1.0.0.2	MCSDK
Trace Framework	Trace framework for collecting and distributing log/event messages (ARM portion)	1.1.1.4A	MCSDK
User-Mode LLDs	Subset of LLD that work on ARM user- space	See below	MCSDK
СМЕМ	Contiguous memory allocate for ARM user-space	4.0.3.14	MCSDK
UIO	User-space I/O driver for on-chip modules. This driver provides support of mmap interface, interrupt handling and powering up/down of on-chip modules from user space.	1.0.1.0	MCSDK
cUIA [corrected]	C implementation of Unified	1.0.0.13	MCSDK

	Instrumentation Architecture for ARM user-space applications		
DSP Target Softwar	e		
SYS/BIOS	DSP real-time operating system	6.37.3.30	MCSDK
NDK	DSP network stack	2.22.2.16	MCSDK
IPC	DSP inter-process communication	3.22.2.11	MCSDK
cToolsLib	Trace debug library	1.1.0.0	MCSDK
UIA	Unified instrumentation architecture	1.3.2.10	MCSDK
Image Proc	Image processing demo	1.0.0.1	MCSDK
DSP Optimized Libr	aries		
DSPLIB	Generic DSP functions	3.2.0.1	MCSDK
MATHLIB	Math functions	3.1.0.0	MCSDK
IMGLIB	Image functions	3.1.1.0	MCSDK
DSP Platform Deve	lopment Kit		
CSL	Chip support library	2.1.0.5	MCSDK
AIF2 LLD	Antenna Interface LLD (not in K2L)	1.1.0.3	MCSDK
BCP LLD	Bit Rate Coprocessor LLD	2.1.0.2	MCSDK
CPPI LLD	Packet DMA LLD	2.1.0.6	MCSDK
EDMA3 LLD	Enhanced Direct Memory LLD	2.11.13.17	MCSDK
FFTC LLD	FFT Accelerator Coprocessor LLD	2.2.0.3B	MCSDK
HYPLNK LLD	HyperLink LLD	2.1.0.1	MCSDK
PA LLD	Packet Accelerator LLD	3.0.0.10	MCSDK
PCIe LLD	Peripheral Component Interconnect Express	2.1.0.1	MCSDK
QMSS LLD	Queue Manager LLD	2.1.0.5	MCSDK
RM LLD	Resource Manager LLD	2.1.0.5	MCSDK
SA LLD	Security Accelerator LLD	3.0.0.6	MCSDK
SRIO LLD	Serial Rapid IO LLD	2.0.0.10	MCSDK
TCP3D LLD	Turbo Coprocessor Decoder LLD	2.1.0.1	MCSDK
MMAP LLD	MPAX Map LLD	2.0.0.3	MCSDK
TSIP LLD	Telephony serial interface (K2E only)	1.0.0.0	MCSDK
IQN2 LLD	High speed antenna interface (K2L only)	1.0.0.1	MCSDK
DFE LLD	Digital Front End LLD (K2L only)	1.0.0.1	MCSDK
Platform Library	DSP EVM drivers and SOC initialization	[MCSDK version]	MCSDK
NWAL	Network adaptation layer provides high level driver functionality abstracting NetCP LLDs PA and SA	2.1.0.2	MCSDK
Trace Framework	Trace framework for collecting and distributing log/event messages (DSP	1.1.1.4A	MCSDK

	portion)		
Fault Management	Library for core dump, watchdog timer	1.0.1.1	MCSDK
PKTLIB	Packet Library	2.1.0.3	MCSDK
Host Development	t Tools		
Program_evm	Utility to update EVM flash with software images	[MCSDK version]	MCSDK
Yocto-Arago	ARM software distribution	1.4	Link
Linux devkit	Development kit that is independent of Arago	N/A	MCSDK
CCS	Code Composer Studio integrated development environment	5.5.0	Link
Linaro Toolchain	ARM toolchain	2013.03 (GCC 4.7)	Link
CodeGen	DSP compiler	7.4.4	CCS
CG_XML	Package of Perl scripts used to process the XML files that come from the TI code generation tools. Use it to do things like build a spreadsheet that details the size of all the sections, or figure out how much of the memory map is taken up by specific libraries.	2.30	MCSDK
XDCTools	DSP RTSC packaging and build tools	3.25.6.96	MCSDK
Simulator	Simulator for K2L, K2E	0.9.0	CCS
MCSDK Apps	MCSDK applications (udma, DSP core parser, etc.)	[MCSDK version]	MCSDK

#### 9.3.1 New features and fixes

ID	Description
New Feature	Added support for K2E and K2L devices
SDOCM00104163	TAC2 CSL register layer file cslr_tac2_cfg.h has error
SDOCM00105040	Portions of MCSDK 3.0.x User Guide still in draft state
SDOCM00105864	UDMA unit test fails with rt-kernel and rt-nfs combination.
SDOCM00105884	cToolsLib: Warning messages when compiling examples and demo
SDOCM00106007	UDMA unit test fails almost 20% of time if run multiple times with regular kernel
SDOCM00106427	Needs to add a script to build Uboot image for NAND boot in the MCSDK 3.0.4 builds
SDOCM00106564	Linux kernel does not boot when manually load kernel/rootfs images to DDR via CCS
SDOCM00107129	Linux Kernel for K2L should initialize external linking ram of 1MB to OSR
SDOCM00107152	a libnl-xfrm compatible with libnl-3.2.24
SDOCM00107359	[Wireless LLD] Need to build and test the wireless LLD to enable the call stack trace
SDOCM00107473	Fix needed for disparity between how U-Boot writes to NAND and boot ROM reads NAND

SDOCM00107829	Add L1D memory segment in MPM configuration file
SDOCM00107943	NAND OOB mtdtest failing
SDOCM00107974	Add support for hmac-sha2-256 in netapi ipsecmgr daemon
SDOCM00108066	add RM to pa unit test on dsp
SDOCM00108171	rmserver crash after loading dsp0 with MPM for rmK2HArmv7LinuxDspClientTestProject test
SDOCM00108172	rmserver crash when testing rmLinuxClientTest
SDOCM00108212	PA unit tests should have the "All tests have passed" message when tests have passed to assure the proper automation result
SDOCM00108231	IPSEC Inflow: stop offload only works for one channel. Error (-8) is returned for second channel
SDOCM00108256	traceframework and dat do not compile on more strict rules
SDOCM00108262	In macros.ini file variable IQN_INSTALL_PATH should be IQN2_INSTALL_PATH
SDOCM00108271	All fftc unit tests do not finish when run
SDOCM00108305	ARP and ARPING utilities missing from MCSDK 3.x file system
SDOCM00108306	matrix demo: demo_ipc.sh script to support loading and running number of DSPs based on EVM under test
SDOCM00108315	After machine name changes in Yocto, DUT kernel prompts are mixed up
SDOCM00108333	FFTC: Fftc_getDeviceAccumulatorConfig API parameter pAccRxQNum has wrong type
SDOCM00108335	Four SA projects do not compile for simulator due to undefined indentifiers
SDOCM00108348	SRIO_LoopbackK2KC66BiosTestProject does not compile due to undefined identifier
SDOCM00108349	aif2LteCheckRfK2KTestProject does not complete when run on EVM
SDOCM00108363	usermode LLD test nwal fails on k2hk platform
SDOCM00108364	Usermode LLD paUnit Test fails on k2hk platform
SDOCM00108365	RMLinuxdsp client test fails for all three platforms(k2e,k2l,k2hk)
SDOCM00108377	PA LLD: IPv4 reassembly test failed due to stats mismatch in software-reassembly mode
SDOCM00108380	SRIO_LoopbackK2KC66BiosTestProject compiles but does not complete when run on EVM
SDOCM00108409	Default Uboot environment variables for secure storage initialization are missing
SDOCM00108451	Enable busybox timeout command
SDOCM00108469	wireless LLDs: Use DSP compiler options for debuggability with optimization
SDOCM00108480	Bringing eth interface up after taking it down causes EVM to hang
SDOCM00108507	pdkProjectCreate.bat file left trace framework test projects out
SDOCM00108533	Transport netlib loopback test fails because of policy dtb file problem on K2H.
SDOCM00108539	Top level "make all" using devkit fails for SA, while executing the rule "tests"
SDOCM00108591	Keystone II AIF2 CSL header file bug
SDOCM00111667	Kernel timestamping test failures on K2HK
SDOCM00111669	bringing interface up / down repeatedly causes kernel crash
SDOCM00111707	traceframework projects do not build due to error #20: identifier "i" is undefined
SDOCM00111716	Three PA unit test projects are not building under Linux due to a directory name case mismatch
SDOCM00111718	Fourteen SA projects are not building under Linux due to a file name case mismatch

SDOCM00111719	Eight SA unit test projects are not building under Linux due to a directory name case mismatch
SDOCM00111720	tfw unittest projects are not builiding under Linux/Windows due to can't locate the package 'ti.uia.events' along th path
SDOCM00111750	Keystone II AIF2 CSL bug
SDOCM00112090	CPPI LLD: Merge Cppi_txChannelOpenWithHwCfg API from Appleton to support FM IO Halt port to K2
SDOCM00112091	FM: Merge IO halt feature to K2 from Appleton
SDOCM00112117	Resolve Coverity warnings for HPLIB
SDOCM00112119	Stop then start offload not working when using setkey
SDOCM00112127	hplib library without osal doesnt compile in bm_alloc.c
SDOCM00112138	Resolve issue with NETAPI ipsecmgr delete Sa interface API.
SDOCM00112181	RM LLD: There are some Rm_osalFree() calls with incorrect size
SDOCM00112182	PA LLD: Pa_delHandle() does not remove the root IP entry associated with an IPSEC entry
SDOCM00112222	Qmss_queueOpen fails with -151 when queue is > 8192 and queueType=QMSS_PARAM_NOT_SPECIFIED
SDOCM00112237	QMSS_exit() return error if both global and PASS QMSS are opened
SDOCM00112249	not able to build PDK on 3.01.00.02 & 3.0.4.18
SDOCM00102872	Issues on program EVM for MCSDK 3.0
SDOCM00106973	Getting "Internal error: Oops: a07 [#1] SMP ARM" dump when running performance test for sideband crypto on non-rt & rt kernel
SDOCM00107675	Supply Hyperlink SERDES configuration via DTS (instead of JSON file)
SDOCM00107876	Packet fail route handling in NetCP
SDOCM00107927	K2 NAND boot errata needs workaround in flash writer
SDOCM00107933	Default Hyperlink configuration (6p25/full) is not reliable on Slayton (VP1, VP2 cartridges)
SDOCM00107949	MCSDK installer does not indicate MPM version number
SDOCM00108126	Iperf performance test does not complete when run for IPSEC inflow egress.
SDOCM00108399	IPSEC with aes128/192/256 encryption and aesxcbc integrity causes EVM to stop responding during performance test
SDOCM00112294	PASS: IPSEC transport mode non-UDP/TCP packets dropped by PASS silently
SDOCM00107677	Keystone2 XGE driver SERDES configuration update
SDOCM00108064	Yocto build failed du to invalid URL in meta-mcsdk/recipes-core/rhino/rhino_1.7r4.bbappend
SDOCM00107159	Fix to XGE CDR Reset sequence in Linux
SDOCM00106473	Critical Bug in TCP3d driver
SDOCM00107501	Compilation issues observed when compiling with C++
SDOCM00103118	Kernel mtdtests failing on PG1.1 EVM
SDOCM00106426	Linux coherent memory is not mapped as outer shareable. This will cause race conditions with DMA coherency in certain cases
SDOCM00107206	need to disable all ports during initialization in cpsw
SDOCM00107154	K2: use DEVSPEED frequency value to program PLL
SDOCM00105609	Linux Kernel needs to enable RX UDP/TCP checksum offload to NETCP

SDOCM00107335	Need to enhance ipsecmanager to use linux egress tunnel ESN as starting ESN when offloading a tunnel
SDOCM00107323	"TS_COMP output polarity" [need update on CPTS driver]
SDOCM00105615	Enable Ethernet Port 2,3 support in u-boot
SDOCM00106240	CSL_BootCfgGenerateInterDSPInterrupt is incorrect
SDOCM00106086	PCIe feature was broken in MCSDK 3.0.3 and cannot be tested with EVM while works with Slayton.
SDOCM00106007	UDMA unit test fails almost 20% of time if run multiple times with regular kernel
SDOCM00107695	Linux QoS configuration of OutThrotThresh is incorrect
SDOCM00105864	UDMA unit test fails with rt-kernel and rt-nfs combination.
SDOCM00107694	Linux misconfigures cirMax for QoS
SDOCM00107233	Need to fix Serdes TX coefficients API in Linux Driver
SDOCM00107876	Packet fail route handling in NetCP
SDOCM00107874	Packet exception handling in NetCP
SDOCM00107145	K2H with RT Linux can not handle the load above 20kpps
SDOCM00107049	HWQueue unit test fails with the message "failed to open write queue, errno=-22"
SDOCM00107025	ipsec inflow: (1) issues on egress path with ipsec context stored in skb
SDOCM00107004	PCIe feature was broken in MCSDK 3.0.3 and cannot be tested with EVM while works with Slayton.
SDOCM00107781	IPSecMgr: add_sa() failure triggers an del_sa() call with an invalid SA handle
SDOCM00107360	[Trace Framework] Need to build and test the Trace Framework to enable the call stack trace
SDOCM00106856	Resovle Coverity issues in IPSEC Mgr
SDOCM00107799	interrupt line is not assigned properly for timer15
SDOCM00096613	Cppi_initDescriptor in cppi_desc.c has some cache coherence issue
SDOCM00107237	QMSS with high priority accumulator mixes elements from different queues in the same list
SDOCM00106347	hwqueue linking ram 0 size improperly programmed
SDOCM00107453	CSL_CPSW_nGF_setAleMcastAddrEntry() doesn't accept 5 bits port mask
SDOCM00106809	Trace framework coverity issues
SDOCM00107629	pdkProjectCreate.bat file has hardcoded platform of ti.platforms.evmTCl6638K2K
SDOCM00107194	Traceframework: Warnigns noticed during DSP test application
SDOCM00108178	TCP3D: fix coverity issue for logical dead code (choosing between ping/pong buffer)
SDOCM00107021	Add support of CPTS HW TIMESTMP PUSH
SDOCM00104882	HPLIB needs to provide a memory free API
SDOCM00106488	Provide pre-compiled device files in PDK for Keystone-2
SDOCM00106203	SA LLD to allow ability to send data without the SA channel handle
SDOCM00106202	UIO Driver enhancement
SDOCM00107058	QOS FW currently integrated with Linux does not support 5WRR queue ports
SDOCM00102646	SA Examples do not use RM
SDOCM00107133	QMSS: Initialization of global variables in the .far section leads to large .cinit .far section
<u>.</u>	

SDOCM00107645	ipsecmgr sampe application needs to provide option for user to give flow to use for egress offload
SDOCM00107292	UART autoflow control needs to be supported in MCSDK-Linux kernel

#### 9.3.2 Known Issues

ID	Description
SDOCM00112268	(K2H/E/L) mpm-sync: Unit test does not complete
SDOCM00112269	(K2E) mpm-mailbox: Unit test for memory copy fails
SDOCM00112340	PA LLD: Deletion of the pair of IP/IPSEC entry may miss the IPSEC (SPI) entry due to firmware timing issue
SDOCM00112368	QM LLD: qmInsRegion unit test fails
SDOCM00112374	(K2E) mpm-transport: HyperLink transport does not work due to missing device tree entries
SDOCM00112391	(K2L) Image Processing Demo: Demo only works on two cores
SDOCM00108171	(K2E) RM ARM-to-DSP test fails
EVM Issue	XTIEVMK2X Rev 2.0: NAND flash and USB occassionaly fails
EVM Issue	EVMK2H (PG1.1) Rev 3.0: NAND flash and USB occassionaly fails
EVM Issue	TCIEVMK2L Rev 1.0: NAND flash and USB occassionaly fails